

WOW[®]
fusion

MULTI-VITAMIN COMPLEX
R-VITCOMPLEX⁺

For skin revitalization,
rejuvenation and
overall improvement
in texture and tone

R-VITCOMPLEX⁺

MULTI-VITAMIN COMPLEX

INSTRUCTIONS AND INFORMATION

PRESENTATION

5 x 5 ml Vials

INGREDIENTS – INCI

Benzyl Alcohol 0.3%. The following ingredients to a total of 1.5 %: Ammonium Vanadate, Calcium Chloride, Copper Sulfate, Ferrous Sulphate, Magnesium Sulfate, Manganese Sulfate, Ammonium Molybdate, Nickel Chloride, Potassium Phosphate, Sodium Chloride, Sodium Metasilicate, Disodium Selenite, Stannous Chloride, Zinc Sulfate, Biotin, Folic Acid Calcium Salt, Inositol, Niacinamide, Pantothenic Acid Calcium Salt, Pyridoxine HCL, Riboflavin, Thiamine HCL, Cyanocobalamin, Alanine, Arginine HCL, Asparagine, Aspartic Acid, Cysteine HCL, Glutamic Acid, Glutamine, Glycine, Histidine HCL, Isoleucine, Leucine, Lysine HCL, Methionine, Phenylalanine, Proline, Serine, Threonine, Tryptophan, Valine, Adenine HCL, Glucose, Hydroxyethylpiperazine Ethane Sulfonic Acid, Linoleic Acid, Sodium Pyruvate, Thioctic Acid, Thymidine, Putrescine HCL, Phenol Red Sodium Salt.

Sodium Hydroxide 0.035%, Safranin Trace, Sterile Water for Injection added up to 5ml

INDICATIONS

MULTI-VITAMIN COMPLEX For skin revitalization, rejuvenation and overall improvement in texture and tone. To be mixed with HA Factor 1 as the base serum and with other WOW fusion[®] solutions. Intended for topical use with the WOW fusion[®] device.

CONTRAINDICATIONS

It must not be used on:

- Patients who have a skin disease or condition
- Patients having immunotherapy
- Patients who have hypersensitivity or a known allergy to one of the components
- High risk of keloid scarring
- High risk of post inflammatory hyperpigmentation
- Pregnant or breastfeeding
- Under 18s

CAUTIONS

Caution must be taken:

- Blood thinning medication
- Multiple Sclerosis
- Lupus
- Uncontrolled diabetes
- Herpes Simplex

PRECAUTIONS FOR USE

- No clinical data available with respect to the tolerability of R-Vit in an area that has already been treated with another cosmetic product for deep topical use
- It is recommended that the patient should not apply make-up for 4 hours after treatment
- Avoid prolonged exposure to the sun and the use of sunbeds for 4 weeks
- No use of saunas or steam rooms 2 weeks post treatment

POSSIBLE SIDE EFFECTS

- Mild local redness that disappears after a few hours
- Itching
- Bruising
- Skin dryness
- Flakiness

If any inflammatory reactions or side effects have not disappeared after 3 days, the patient should inform the professional as soon as possible and the professional must report to WOW Facial Ltd or their representatives in their country.

WARNING

- Always check the expiry date
- Keep out of the reach of children
- Do not expose to direct light
- Refrigerate after opening
- Use within 1 month

Manufactured by
RSI 6728-PS for
WOW Facial Ltd.

www.wowfacial.co.uk

